


## Hinges and locking solutions for industrial and leisure vehicle bodywork



## PINET is specialised in designing and manufacturing hinges and locking devices

- A **wide range** of standard products in stock
- **Manufacture** according to customer drawings
- **Design** and **manufacture** to meet customer specifications
- Some products with **integrated functions**
- **Metal sheet** or **machined profile** based manufacture
- Material used: **steel**, **stainless steel** and **aluminium**
- **Thickness** capacity: up to **6 mm**
- **Surface** and **decorative** treatments (zinc plating, cataphoresis, ...)
- **Small, medium** and **large production** runs
- **Simple tools** for production
- **Rapid prototypes** for evaluation purposes

**Standard products**



**Application**  
**Refrigerated vehicle**

180° opening side door hinge

Specific features: **double pin aluminium** profile for complete opening, **reduced** dimensions, possibility of **sealing** with additional **rubber profile**



**Application**  
**TV control truck**

Friction hinge or indent hinge **Hi-Klik™** for screen angular position control

Specific features: in **aluminium** profile, adjustable **friction**, or multi-position **indent** according to model



**Application**  
**Extendable**  
**semi-trailer**

Continuous hinge for articulating the storage compartment doors

Specific features: easy cut to length by the customer, in **AISI 304 stainless steel**, also in mild steel and aluminium material

**Standard products**



**Application  
Light trailer**

Padlockable toggle latch  
reinforced adjustable with hook

Specific features: **heavy duty**, in **zinc plated steel**, also in **AISI 304 stainless steel** and in **several sizes**



**Application  
Intervention vehicle**

Toolbox storage hinge

Specific features: in **AISI 304 stainless steel**, thickness 1.5 mm, with countersunk holes, **automated** process



**Application  
Mobile store vehicle**

Shop window hinge in  
stainless steel with angular stop

Specific features: in **AISI 304 stainless steel**, thickness 2.5 mm, with 2 stops to limit the **opening angle**, delivered with two washers for attachment to the glass

**Standard products**



**Application  
Truck trailer**

**Vector** type compression locking device

Specific features: **aesthetic, waterproof** according to **IP65**, with **key, padlockable, reinforced PA** base, **zinc die cast** lever and **zinc coated steel** cam with PA roller


**Manufacture according to customer drawing**



**Application  
Baggage trailer**

Adjustable toggle latch with hook  
Specific features: **heavy duty** (420g), **zinc plated steel** and **raw steel**

**Design to meet customer requirements**



**Application  
Leisure vehicle**

SUV tonneau cover hinge

Specific features: **AISI 304 stainless steel, complex** shape for **full adaptation** to existing bodywork

